

INDEX

Things in this book are listed in the order of the alphabet:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Page numbers in **bold** tell you where to find the main reference in this book. Medicines included in the Green Pages are in the Index of Medicines, p. 341.

A

- Abdomen** (See Belly)
- Abortion**, 243, 284, **414–415**
(Also see Miscarriage)
- Abscess**, 419
breast, 278
caused by injecting, 67, 69, 74
liver, 144–145
of the teeth, 230–231
under the skin, 202
- Acid Indigestion**, 128–129
- Acne (pimples)**, 211, 395, 419
- Acquired Immune Deficiency Syndrome** (See AIDS)
- Acupuncture**, 74, 401
- Acute abdomen**, 15, **93–94**, 419
(Also see Gut, Swollen belly)
- Addiction**, 416–417
- Afterbirth (placenta)**, **262–264**, 269, 426
- AIDS**, 153, 171, 236, 245, 286, 290, 396, **399–401**, 416
and pregnancy, 249
and shingles, 204
and thrush, 232
and tuberculosis, 179
- Alcoholic drinks**
and heat stroke, 81
problems caused by, 119, 148–149, 325, 326, 400, 416
- Alcoholics Anonymous**, 149, 417, 429
- Alcoholism**, **148–149**, 416–417, 419
- Allergic reaction**, 23, 54, **166**
in the skin, 203, 285, 290
medicines for, 337, 386–387
to medicines, 54, 56, 68, 70–71, 351
- Allergic rhinitis (hay fever)**, **165**, 427
- Allergic shock**, 70, 105, 351, 386–387, 410
- Aloe vera**, 13, 129
- Amebas**, **144–145**, 336, 368–369, 419
- Amputation**, 409, 419
- Anabolic steroids**, 51
- Analgesics (painkillers)**, 379–380
- Anemia**, **124**, 419
causes of, 113, 124
during pregnancy, 248–249
in children, 307, 321
treatment, 335, 392–394
- Anesthetics**, 380–381
- Angel's Trumpet**, 12
- Angina pectoris**, 325
- Antacids**, 52, 64, **129**, 248, 324, 381–382
- Antibiotics**, 52, **55–58**, 156, 351–365
- Anti-diarrhea medicines**, 156
- Antihistamine**, 70, 165, 204, **386–387**, 419
- Antispasmodic**, 235, 329, **381**
- Antitoxins**, **388–389**, 419
and allergic shock, 70, 105
for tetanus, 389
(Also see Antivenom)
- Antivenom**, 70, 388–389
for scorpion sting, 388
for snakebite, 105, 388
- Anus**, **233**, 419
hemorrhoids in it, 175
sores in it, 238, 400, 402, 403
- Apoplexy**, 37, 78, 288, **327**
- Appendicitis**, 36, **94–95**
- Appendix**, **94**
- Arms**
muscles and nerves in, 37
numbness or pain in, 23, 325
- Arteriosclerosis**, 326
- Arthritis (joint pain)**, **173**, 324
medicines for, 51, 379–380
- Ascaris (roundworm)**, **140–141**, 420
and asthma, 167
- Asthma**, **167**, 337, 385–386
- Athlete's foot**, 205

B

- Babies**
examining, 34
feeding, 120–121
with diarrhea, 159
with skin problems, 215
(Also see Children, Newborns)
- Back pain**, **173–174**, 248
- Bacteria**, 19, 55, 420
- Bacterial dysentery**, 145
- Bacterial infection of the blood**, 273–275
- Bag of waters**, 256, 258, **259–260**, 420
- Bandages**, 85, 87, **101–102**, 336

Bathing

- and hygiene, 133
- newborns and babies, 7, 215, 263
- postpartum mothers, 8, 276
- sick persons, 7, 39

B.C.G. vaccination, 147, 180, 185

Beaded lizard bite, 106

Bedbugs, 200

Bed sores, 13, 214, 420

Beliefs

- harmful, 4, 5, 10–11
- healing power of, 2

Bell's Palsy, 327

Belly

- acute abdomen, 93–94
- examination of, 35–36
- lumps in, 280
- pain in lower belly, 243
- (Also see Gut, Swollen Belly)

Bewitchment, 2, 6, 420

Bilharzia, 146

Billiousness, 329

Birth (See Childbirth)

Birth control (See Family planning)

Birth control pills, 285, 286–289, 394–395, 410

Birth defects, 6, 247, 272, 289, 318–321, 412

Birth kits, 254–255

Birth opening (See Vagina)

Bites

- of wild animals (rabies), 181
- poisonous, 104–106
- that may cause infection, 89
- treatment, 86

Bitot's spots, 226

Black flies, 227–228

Blackheads, 211, 420

Black magic, 5, 24

Black widow spider bite, 106

Bladder, 233

- infection, 243
- stones, 234, 235

Bleach, 74, 401

Bleeding

- and anemia, 124
- during menopause, 246
- during pregnancy, 249, 281
- gums, 107, 231
- how to control, 13, 82–83
- in an unconscious person, 78
- in the whites of the eyes, 225
- of the newborn, 272, 337, 394
- severe, 82, 243, 246, 264, 281, 404, 410, 414
- stopping after birth, 263–266, 337, 391
- (Also see Blood)

Blindness, 221–222, 412

- from injuries to the eye, 218
- night blindness, 113, 226–227
- protection for babies, 221, 237, 379
- river blindness, 227–228, 378

Blisters

- from medicines, 358, 361

from touching certain plants, etc., 204

with burns, 96

with chickenpox, 311

with eczema, 216

Blood

- and AIDS, 399, 401
- clots, 288
- coughing up blood, 168
- flukes, 146
- in stools, 128, 144–146, 157–158, 306, 401
- in the urine, 146, 234
- in vomit (cirrhosis), 328
- in vomit (ulcer), 128
- (Also see Bleeding)

Blood pressure, 420

- high, 125, 249, 288, 325–326, 395, 411
- how to measure, 410–411
- low, 77, 411
- (Also see Shock)

Blood transfusion, 401

Blueness of skin, lips, and nails, 30

Body-building foods, 110

Boil (abscess), 202, 420

Bones

- calcium for, 246
- deformities of, 125, 319
- hit by a bullet, 90
- that have come out of place at a joint, 101
- (Also see Broken bones)

Bottle feeding, 120, 154, 296

Bowel movement, 242, 420

- (Also see Feces, Stools)

Braces, 315

Brain damage, 319–320

- and fits, 319
- from high fever, 76
- from tapeworm cysts, 143

Bran, 16, 126, 383

Brand-name medicines, 55, 333, 339, 420

Breakbone fever (See Dengue)

Breast abscess (mastitis), 278, 424

Breast cancer, 279

Breast feeding, w12, 120–122

- and birth control, 285, 289, 294, 395
- and good nutrition, 114, 116, 304
- and preventing diarrhea, 154, 156
- of newborns, 271, 277, 405
- traditional beliefs about, 2, 7
- (Also see Breasts)

Breasts

- care of, 277, 279
- swelling of, 278–279

Breathing (respiration), 426

- difficulties, 23, 57, 168, 181, 274, 325, 410
- hot water vapors 47, 168
- of a sick person, 32
- rate, 32
- stopped, 80
- (Also see Lung diseases, Mouth-to-mouth breathing)

Breech delivery, 257, 268

Broad-spectrum antibiotics, 56, 58, 353, 356–359

Broken bones, 14, 98–99

Bronchitis, 170

Brucellosis (Malta fever), 27, 188

Bubos, 238, 403, 420

Bullet wound

in arms or legs, 90

in the belly, 15, 92–93

in the head, 91

Burns, 13, 96–97

and leprosy, 192

of the eye, 219

C

Calcium

and rickets, 125

danger of injecting, 53, 67

for spider bite, 106

for weak bones, 246

in eggshells, 116

Callus, 210

Cancer, 25, 412, 420

and oral contraceptives, 288–289

and smoking, 119, 149, 168

of the breast, 279

of the skin, 197, 211, 399

of the womb, 280

Candida (See *Moniliasis*)

Canker sores, 232

Carbohydrates (energy foods), 110, 121, 420

Carbonated drinks, 115, 150

Cardon cactus, 13, 232

Cascara, 16

Cassava, 117, 130, 420

for constipation, 16, 126, 383

Cast, 14, 98, 319, 420

Castor oil, 16

Cataract, 225, 323, 420

Catheter, 239–240, 336, 420

Causes of illness, w6–w7, w10, w27, 17–19

Cavities in teeth, 229–230, 420

Cellulitis, 212

Cereal, 152, 382

Cerebral malaria, 30, 178, 186, 367

Cerebral palsy, 320

Cerebro-vascular accident (CVA), 37, 78, 288, 327

Cervix, 288, 420

Chancere, 237

Chancroid, 236, 238, 403

Chemical burns of the eye, 219

Chest wounds, 91

Chickenpox, 204, 311

Chiggers, 201, 420

CHILD-to-child program, 322

Child Health Chart, w20, w24, 297–304, 420

Childbirth

bleeding after, 264–265

correct use of oxytocics, 265–266

cutting the cord, 262–263

difficult births, 267–269, 319

infection, 260, 276

position of the baby, 257, 261, 267

position of the mother, 260

premature, 262

preparing for, 254–256

signs of labor, 258

tearing of the birth opening, 269

Childbirth fever, 27, 276, 283, 420

Children

and diarrhea, 151–153, 159

foods for, 112, 113, 120–122, 295

giving injections to, 73

growth of, 107, 297–304

having the number you want, 283–294

infectious diseases of, 311–315

malnourished, 112–114, 154, 303, 305–306

mentally slow, deaf, or deformed, 318

problems they are born with, 316–321

severely ill, 214

vaccinations for, 147, 296

(See also *Babies, Newborns*)

Chlamydia, 221, 234, 236–237, 255, 360

Choking, 79, 314

Cholera, 158

Cigarettes (See *Smoking*)

Circulation, poor (See *Varicose veins*)

Circumcision, 74, 401, 404

Cirrhosis of the liver, 108, 148, 328

Cleanliness, 131–139

basic guidelines of, 133–139

in childbirth, 260, 263

of children, 136, 296

of equipment, 74, 401

of mouth and teeth, 229–231

personal cleanliness, 39, 41, 133–135

public cleanliness, 137–139

to prevent infection, 74, 84, 401, 414

when injecting, 68, 74, 401

Cleft palate, 318–319, 421

Climacteric (menopause), 246

Clitoris, 233

Clubbed feet, 319

Cocaine, 416–417

Coitus interruptus, 285, 294

Cold and hot sicknesses, 119

Cold compresses, 193–194

Colds and the ‘flu’, 45, 57, 163, 308

diet with, 123

Cold sores or fever blisters, 48, 171, 232, 402

Cold weather, 408–409

Colic (gut cramps), 35, 145, 157, 421

Colostrum, 277, 421

Coma, 78, 421

Combination medicines, 52, 385

Combined methods of birth control, 285, 292

Comfort of a sick person, 39

Complications from abortion, 243, 414–415

Compresses, 193–195, 421

Condom, 239, 285, 286, 290, 396, 401–403

La Congestion, 23

Conjunctivitis, 219–221, 308

Constipation, 16, 126
 as a sign of acute abdomen, 94
 during pregnancy, 248
 treatment and prevention, 126, 383

Consumption (See Tuberculosis)

Contact dermatitis, 204, 421

Contraception, 284–294, 394–396

Contraceptive foam, 290, 396

Contractures, 314, 421

Convulsions, (See Fits, Spasms)

Cooperatives, w24

Cornea, 217, 218, 224, 225, 226, 228

Corn silk, 12

Corns, 210, 421

Cortico-steroids, 51, 129, 364

Cortisone, 51

Cough, 168–169
 chronic, 168, 324, 400
 common causes, 168
 cough with blood, 140, 171, 174, 179
 medicines for, 52, 384
 smoker's, 149

Cradle cap, 215

Cramps, 421
 gut, 12, 35, 106, 145, 147, 243, 381
 heat, 81

Cretinism, 318, 421

Crop rotation, w13, 115, 117, 427

Cross-eyes, 223, 318

Crutches, how to make, 315

Cupping, 22, 421

Cuts, 84–86

CVA (Cerebro-vascular accident), 37, 78, 288, 327

Cyst, 143, 243, 280, 421

D

Dacryocystitis, 223

Dandruff, 215, 421

Dandy fever (See Dengue)

Dangerous illnesses, w28, 42, 179–192

Dangerous use of medicine, 50

Date of expiration, 332

Deafness
 home cure for, 11
 in children, 318
 with ringing and dizziness, 327

Death, accepting, 330

Decongestants, 164, 165, 421

Defects, birth, 7, 289, 316–321, 421

Deformities, 421
 from birth, 289, 316–321
 with leprosy, 191–192

Dehydration, 151–152, 421
 and diarrhea, 46, 155
 causing sunken fontanel, 9, 274
 danger of laxatives with, 15, 383
 medicine not to take, 52–53, 156
 prevention and treatment, 152, 156, 382–383

Delhi boil (See Leishmaniasis)

Delirium, 24, 421
 and malaria, 186
 and typhoid, 189

Dengue, 187

Dermatitis, contact, 204, 421

Diabetes, 127, 251, 410

Diaper rash, 215, 422

Diaphragm, 285, 290, 396

Diarrhea, 151–160
 and dysentery, 144–145, 153, 306
 babies with, 159, 271
 causes of, w7, 17, 107, 132–133, 135, 153, 399, 400
 causing sunken fontanel, 9
 home cures for, 11
 prevention of, w7, 46–47, 154
 severe, 151, 160
 treatment of, 58, 152, 155–158, 384
 with blood, 144–145, 157–158, 306, 401
 with vomiting, 151, 157
 with worms, 142

Diet, 421
 congestion and, 23
 for fever, 8
 for postpartum mothers, 8, 123, 276
 for sick persons, 40, 123
 for small children, 120–122
 for specific diseases, 40, 124–130, 154–156
 harmful ideas about, 123
 things to avoid, 119
 what to eat to stay healthy, 110–111
 while taking medicines, 123
 with oral contraceptives, 286
 (Also see Foods, Nutrition)

Diets for specific diseases, 40, 124–130
 acid indigestion, heartburn, and ulcers, 128–129
 anemia, 124
 constipation, 16, 126, 383
 diabetes, 40, 127
 diarrhea, 155–156, 159
 fat people, 126
 goiter, 130
 high blood pressure, 125

Digestion, 13

Diphtheria, 147, 296, 313–314

Direct pressure, 82

Disability
 how injections cause, 74, 314
 in children, 74, 314, 318–321

Diseases (see sicknesses)

Dislocations, 38, 101, 316, 422

Dizziness, 327, 249

Dolor de ijar, 22

Dosage information, 340

Double vision, 227

Douche, 241, 247, 258, 281, 292, 361, 422

Down's disease (mongolism), 318, 425

D.P.T. vaccination, 147

Drinking (alcohol), 148–149, 318, 325, 326, 328, 400, 416

Drowning, 79, 422
Drug abuse, 399, 401, 416–417
Dry eyes, 107, 113, 226, 392
Dry malnutrition (marasmus), 112–113
Dumdum fever (See Leishmaniasis)
Dysentery, 144–145, 422
 (Also see Diarrhea)

E

Ears

how to examine a sick person's, 34
 infections of, 309
 nodes behind, 88
 ringing of, 107, 327

Earwax, 405**Eclampsia (toxemia of pregnancy)**, 249, 422**Ectopic pregnancy**, 36, 243, 249, 280, 414**Eczema**, 216**Emergency**

problems of the gut, 93–95
 supply of medicines, 332
 use of injections, 66

Emergencies caused by cold, 408–409**Emergencies caused by heat**, 81**Empacho**, 22**Emphysema**, 170**Enema**, 15, 76, 92, 422**Energy foods**, 110–111**Enterobius (pinworm, threadworm)**, 141**Epilepsy**, 38, 178, 319, 389–391**Epsom salts**, 16**Erysipelas**, 212**Evaluation**, w20, 422**Evil eye**, 5, 422**Examining**

a pregnant woman, 250–253
 a sick person, 29–38
 breasts, 279
 eyes, 33, 217
 eyesight, 223
 for appendicitis, 36, 95
 for hernia, 94, 317
 for knee reflexes, 183

Excision, 404**Exhaustion, heat**, 81**Expectorants**, 52, 384, 422**Experimenting**, w15**Extra finger or toe**, 318–319**Eyes**, 217–228

cross-eyes, 223
 danger signs, 33, 217
 dryness of, 107, 113
 examining the eyes, 33
 eye problems of older people, 323
 eye problems with leprosy, 192
 foreign objects in eyes, 48, 218
 of newborns, 221, 270, 379, 392
 red and painful, 219, 225
 yellow, 30, 172, 274, 328, 329

Eyesight testing, 223

F

Face

dull, 318
 lumpy skin on, 191
 paralysis of, 37, 327

Fainting, 78, 79, 81, 325, 327**Falciparum malaria**, 158, 186, 365**False labor**, 258**Family planning**, w16, 246, 283–294, 394–396, 415

and infertility, 244

Farming, w13, 412–413**Farsightedness**, 323, 422**Fatigue**, 23, 124, 323, 400**Fat people**, 126, 325–326, 329**Fats**, 111, 121**Feces**, 132, 242, 422

and infections, 84, 96, 131
 in home remedies, 11
 in newborn's mouth and nose, 268
 (Also see Stools)

Feces-to-mouth, disease spread from, 131–133, 140, 188**Feet**

clubbed, 319
 loss of feeling in, 127, 162, 173, 191–192
 swelling of, 113, 124, 144, 176, 248–249, 323

Fertile days, 244, 291**Fetoscope**, 252, 255, 422**Fever**

childbirth, 27, 276, 283
 diet with, 8
 high, 6, 15, 75–76, 335
 how to bring down, 75, 76, 335
 in children, 306
 in the newborn, 270, 273
 patterns in different diseases, 26–27, 30, 31

Fever blisters or cold sores, 48, 171, 232**La Fiebre**, 26**Filmstrips**, w22**Fire wood**, 135**First aid**, 75–106, 422**Fits**, 23, 178, 422

caused by high fever, 76
 from birth defects, 273, 319
 in cerebral malaria, 186, 367
 in children, 307, 319
 in meningitis, 185
 medicines for, 336, 389–391
 (Also see Spasms)

Flannel-graphs, w22**Fleas**, 190**Flies**

and disease, w23, 135, 227–228, 406
 before the eyes, 227, 323

Flu, 45, 57, 163, 308, 422**Flukes, blood**, 146, 377, 422**Fluoride, for teeth**, 229**Foam, contraceptive**, 285, 290, 396**Folic acid**, 118, 321, 393, 422

Folk beliefs, 3, 6–8, 123

(Also see Home remedies)

Folk disease, 21–26

Follicles inside the eyelids, 220

Fontanel (soft spot)

sunken, 6, 9, 151, 274

swollen, 274

(Also see Dehydration)

Food poisoning, 23, 103, 135, 153, 161

Foods

at low cost, 116–118

for a person with diarrhea, 155–156

for sick persons, 41

for small children, 120–122

nutritious, 110–111, 295

plant, 116

producing, w11

spoiled, 103, 135

(Also see Diet, Nutrition)

Fractions, 59–60, 340

Fractures (See Broken bones)

Fright, 24, 422

Frostbite, 409

Frozen skin, 409

Fungus infection, 19, 58

ringworm, tinea, 205–206, 372–373

thrush, 232

vaginal yeast, 242, 370

G

Gallbladder, 422

home cure for, 12

pain in, 36

problems, 329

Gangrene, 213

Garlic, 12, 241, 242

Gastritis, 128–129

Gelusil, 173

Generic medicines, 333, 339, 423

Genital herpes, 402–403

Genital warts, 374, 402

Genitals, 205, 232, 233–244, 423

sores on, 237, 402–403

German measles (Rubella), 247, 312, 320

Germs, 19, 423

Giardia, 145, 336, 368–370, 423

and diarrhea, 153, 158

Gila monster bite, 106

Glaucoma, 33, 222, 323

Gloves, rubber or plastic, 255, 262, 264, 401

Glue sniffing, 416

Goiter, 10, 130, 423

Gonorrhea, 221, 236–237, 255, 360

(Also see Sexually transmitted diseases)

Grams, measuring in, 59–60, 423

Groin, lymph nodes in, 88, 238, 423

(Also see Hernia)

Group discussions, w24–w27

Growth, children's, 107, 297–304

Guaco, 3

Guinea worm, 406–407

Gums, 229–232

bleeding of, 107, 231

pale, 124

swelling caused by medicine, 231

Gut

cramps, 12, 106, 145, 157, 243, 381

emergency problems of, 35, 93–94

infection, 47, 131, 144–145, 153, 189

obstructed, 22, 94

out of anus (prolapse), 142

outside a wound, 92

wounds in, 92

(Also see Abdomen, Swollen belly)

H

Hair

changes with malnutrition, 107

examination for lice, 200

loss of, 107

Hansen's disease (See Leprosy)

Hare lip, 318, 423

Hay fever, 165, 427

Head

fungus infections of, 205

injury, 37, 78, 91

swollen lymph nodes on, 88

Headaches, 162, 249, 410

Health, w7, w11

Health worker, w1–w7, w29, 43, 246, 340

Heart

attacks, 23, 325

confusion with heartburn, 128

trouble, 33, 310, 325, 410

Heartbeat, 32–33, 77

Heartburn, 423

diet for, 128–129

during pregnancy, 248

medicines for, 381–382

medicines to avoid, 54, 64

Heat

cramps, 81

exhaustion, 81

stroke, 78, 81

Hemorrhage (See Bleeding)

Hemorrhoids (See Piles)

Hepatitis, 26, 172, 416

Herbal teas, 1, 8

Herbs, curative, 12–13, 423

Hereditary problems, 18, 318–319, 321, 423

Hernia, 177, 423

during pregnancy, 256

in groin of newborn, 317

obstructing the gut, 94

Heroin, 416–417

Herpes simplex or labialis (See Cold sores)

Herpes zoster, 204, 400

Hexing, 2

High blood pressure, 125, 249, 325–326, 411
History, taking, 20, 25, 29, 44, 250–253, 423
HIV (See AIDS)
Hives, 68, 166, 203, 423
Home remedies, 1–3
 enemas and purges, 15
 for infertility, 244
 how to tell if they work, 10–11
 questions and answers about, 6–8
 sensible use of, w2, 24
Home visits, w24
Hookworm (Uncinaria), 133, 142, 296, 307
Hordeolum (sty), 224
Hormones, 244, 287, 394, 423
Hot and cold sicknesses, 119
Hot compresses, 193–195, 406
Housing, w10
Human immunodeficiency virus (See AIDS)
Hydrocele, 317
Hygiene (See Cleanliness)
Hypertension (See High blood pressure)
Hyperventilation, 24, 423
Hyphema, 225
Hypochondria, 329
Hypopyon, 225
Hypothermia, 408
Hysteria, 2, 24, 423

I

Illnesses (See Sicknesses)
Immunizations (vaccinations), 19, 147, 296, 337
Impetigo, 25, 202
Implants (birth control), 285, 293, 397
Indigestion
 diet for, 128–129
 during pregnancy, 248
 medicines for, 381–382
 medicines to avoid, 54, 64
Infantile paralysis (See Polio)
Infants (See Babies, Newborns)
Infection, 423
 after giving birth, 276
 and diarrhea, 154, 157
 in newborns, 182–183, 275
 in wounds, 88–89, 96, 213
 medicines for, 55–58, 335–336
 minor, 58
 of the appendix, 94–95
 of the eyes, 217, 219, 220, 221
 of the genitals, 236–239, 241–242
 of the gut, 94–95, 135, 140–146, 243
 of the tear sac, 223
 of the urinary tract, 234–235
 resisting, 108, 120, 271
 signs of a serious, 88, 194, 272–275
Infectious diseases, 18–19, 135, 423
Inferon, 51, 67
Infertility, 244
Inflamed tonsils (tonsillitis), 309

Injections, 65–73
 dangerous reactions from injections, 54, 70–71
 emergencies needing, 66
 faith in, w19, 4, 50
 medicines not to inject, 51, 56, 67
 of vitamins, 118
 risks and precautions, 68–69
 supplies for, 336
 that can disable children, 74, 314
 to prevent pregnancy, 285, 293, 396
 when to inject, 65, 67
Injury
 moving an injured person, 99–100
 of an unconscious person, 78
 severe, 33
 to the eye, 218
Insecticides, 19, 103, 187, 373, 412–413, 423
Insomnia (loss of sleep), 328, 423
Intestinal worms, 13, 140–145, 423
Intestines (See Gut)
Intrauterine device (IUD), 281, 285, 290, 396
Intravenous solution (I.V.), 40, 53, 67, 152
Intussusception, 94, 424
Iodized salt, 130, 318
Iritis, 33, 219, 221
Iron
 cooking pots, 117
 foods rich in, 124
 from nails in lemon juice, 118
 pills, 51, 118, 124, 307, 335, 393, 405
Itching
 caused by fungus, 205, 242
 caused by medicines, 68, 70–71, 166
 caused by plants, 204
 medicines for, 335, 386
 of hands with syphilis, 238
 of the anus (pinworm), 141
 rashes, allergies, 68, 166, 203, 236, 238
 with chickenpox, 311
 with scabies, 199
 with worm infections, 140–142, 228
IUD (intrauterine device), 281, 285, 290, 396

J

Jaundice, 30, 172, 274, 318, 321, 328–329, 393, 424
Jock itch, 205
Joints, painful, 101–102, 173, 310, 324

K

Kala-azar (See Leishmaniasis)
Kangarooing, 405, 408
Kidneys, 233–234, 424
Kidney stones, 235, 424
Kilograms, measuring in, 62, 424
Kwashiorkor (wet malnutrition), 30, 113, 424

L

Labor, 258–262, 264, 424

- false labor, 258
- problems with labor, 267
- signs that show labor is near, 258
- stages of, 259–262
- (Also see Childbirth)

Land

- distribution of, w7, w11, 413
- use of, w11, w13–w16, 115

Latido, 23**Latrines, 137–139**, 153**Laxatives, 15–16**, 383

- misuse of, 126

Lazy eye, 223**Leadership, w5****Learning, w4, w21–w28, 322****Legs**

- crossed like scissors, 320
- examination of legs, 37
- pain in, 288, 321

Leishmaniasis, 406**Lepra reaction, 191**, 364**Leprosy, 10, 191–192**, 206, 337, 363–365

- or *lepra*, 25

Lice, 134, 190, 200, 373**Limits, knowing, w4****Liquids, 39–40**, 151**Liters, measuring in, 61**, 424**Liver, 36**, 424

- abscesses, 144–145
- disease, 172, 288, 328
- infection of, 172

Liver extract, 65, 67**Lockjaw** (See Tetanus)**Loss of blood** (See Blood, Bleeding)**Loss of consciousness** (See Unconscious person)**Loss of feeling, 38**, 127, 162, 173, 191, 192, 279**Loss of sight, 225**, 412**Loss of sleep (insomnia), 328****Loss of weight** (See Weight loss)**Low body temperature, 409****Low-back pain, 173**, 248**Low blood pressure, 411****Lumps**

- in the abdomen, 35, 243, 280
- in the breast, 279
- on face and body, 191, 228
- that keep growing, 196, 280
- (Also see Lymph nodes)

Lung diseases

- and smoking, 149
- asthma, 167
- bronchitis, 170
- pneumonia, 171
- tuberculosis, 179

Lymph nodes, swollen, 88, 317, 424

- caused by an abscess, 202
- in the groin, 238, 403

signs of infection, 194

TB of, 212

with AIDS, 400

with breast cancer, 279

with brucellosis, 188 or typhus, 190

with German measles, 312

with scabies or lice, 199, 200

Lymphogranuloma venereum, 238, 420

M

Maalox, 173**Malaria, 186–187**

falciparum, 158, 365

fever pattern, 26

medicines for, 337, 365–368

with sickle cell disease, 321

Malnutrition

and diarrhea, 153–155

causes of, 115, 283, 412

checking for, 109, 112–113, 297–304

during pregnancy, 248

in children, 107, 114, 305–306

kinds of, 112–114

prevention and treatment of, 108, 109,
112–113, 155–156, 392–394

problems caused by, 107, 306

signs of, 30, 37, 108, 112, 113, 208–209, 305

Malta fever (brucellosis), 27, 188**Marasmus (dry malnutrition), 112****Marijuana, 416****Mask of pregnancy, 207****Massaging**

sprains or fractures, 99, 102

the birth opening, 269

the womb, 264–265

Mastitis (breast abscess), 278, 424**Measles (Rubeola), 30, 108, 226, 311, 392**

vaccination, 147, 312, 321

Measuring

blood pressure, 410–411

in pounds and kilos, 62

medicine, 59–61, 340

Medical attention

illnesses that always need, 179–192

when to seek, 43, 159

Medicinal plants, 12–13**Medicine kit, 331–337****Medicines**

brand-name, 55, 333, 339

care in giving to the newborn, 54, 272

dangerous misuse of medicine, 50–53

during or after birth, 266

during pregnancy, 54, 247

for small children, 62

generic, 333, 339

guidelines for use, w18–w19, 49–73, 339–396

healing without medicines, 45–48

how to measure and give, 59–64, 340

how to write instructions for, 63–64

limited use of medicines, w18–w19, 49
 medicines not to inject, 56
 reactions to, 68, 70–71, 351
 uses, dosage, and precautions, 339–398
 when not to take them, 54–64

Ménière's disease, 327

Meningitis, 185, 274, 307

Menopause, 246, 424

Menstrual period, 245–246, 281, 285, 294, 394–397

Mental problems, 18, 114, 318

Microscope, 19, 144

Midwives

danger signs in pregnancy, 249
 information for, 245–282
 prenatal care, 250
 special risk at birth, 256
 things not to do, 260
 things to have ready before birth, 254–255

Migraine, 162, 424

Milk

and brucellosis, 188
 and diarrhea, 156
 and ulcers, 129
 powdered, 392
 (Also see Breast feeding)

Milk of magnesia, 16, 383

Mineral oil, 16, 383

Minerals, 111, 116–118, 425

Mini-pill, 289, 294, 395

Miscarriage (spontaneous abortion), 246, 249, 266, 281, 414

Models for teaching, w22

Mongolism, 318, 425

Moniliasis (thrush), 232, 242, 400

Morning sickness, 248, 287

Mosquitos, 186–187

Mothers

health after childbirth, 276, 280
 health and sicknesses of children, 295–321
 information for, 245–282
 prenatal care, 250–253
 (Also see Family planning)

Mouches volantes, 227

Mouth, 107, 229–232

Mouth-to-mouth breathing, 78–80, 413

with newborns, 262

Moving an injured person, 99–100

Mucus, how to drain, 169, 425

Mucus method, 285, 292

Mumps, 312

Muscles

examining, 37–38
 lack of control of, 320

N

Narrow-spectrum antibiotics, 56, 425

Natural balance, 58

Nausea (See Vomiting)

Navel (umbilicus), 425

cutting the cord, 262–263
 hernia of navel, 317, 318
 infection of navel, 182, 272

Neck

broken, 99
 stiff, 38, 182–185, 274

Needs, felt and long-term, w8–w12

Needles, 74, 399, 401

Neonatal conjunctivitis, 221

(Also see Newborns)

Nerves, 425

muscles and, 37–38

Nevirapine, 249, 400

Newborns

and tetanus, 182–183
 bacterial infection of the blood, 275
 bathing, 7, 263, 270
 eyes, 221, 237, 270
 feeding, 120, 263, 271
 hernia, 317
 illnesses of, 272–275
 medicines for, 54, 272, 337
 problems with delivery, 268
 small, early, and underweight, 405
 the cord, 262–263, 270
 twins, 269
 (Also see Dehydration)

Night blindness, 113, 226–227, 337

Nodes (See Lymph nodes)

Non-infectious diseases, 18

Nose, stuffy or runny, 164–165, 384

Nosebleed, 11, 83

Numbness (See Loss of feeling)

Nutrition, w11, w13–w16, 107–130, 295

(Also see Malnutrition)

O

Obstructed gut, 22, 94

(Also see Gut)

Older persons, 83, 214, 235, 323–330

Onchocerciasis, 227–228, 378

Opium, 416

Oral contraceptives, 285–289, 394–395

Outhouses, 137–139

Ovarian cyst, 280

Ovaries, 36, 280, 425

Oxytocics, 50, 265–266, 319, 391

Oxyuris (pinworm, threadworm), 141

P

Pain

asking about, 29
 back, 173–174, 248
 chest, 179, 325
 in the belly, 12, 35–36, 94–95, 128, 146, 243
 in the eye, 217, 219, 221, 222
 in the joints, 101–102, 173, 310, 324

- in the leg, 288
- in the teeth, 165, 231
- in urination, 146, 235–236, 239, 242–243
- medicines for, 19, 52, 75–76, 162, 335, 379–380
- (Also see Cramps, Headaches)
- Pannus**, 220
- Pap smear**, 280
- Papaya**, 13
- Paralysis**
 - examining for, 37
 - from pesticides, 412
 - from ticks, 201
 - in a spastic child, 320
 - in leprosy, 191
 - in polio, 314–315
 - in stroke, 37, 327
 - in TB of backbone, 180
 - of face, 37, 327
- Parasites**, 19, 425
 - intestinal, 19, 140–145, 308
 - on skin, 19, 199–201
- Patient report**, 44
- Pellagra**, 114, 208–209
- Pelvic inflammatory disease**, 237, 243, 244, 396
- Penis**, 199, 232, 233, 235–240, 402–403
- Peritonitis**, 94–95, 129, 189, 425
- Pertussis** (See Whooping cough)
- Pesticides**
 - burns in eyes, 219
 - causing birth defects, 247
 - misuse of, 412–413
- Pharmacist, words to**, 338
- Phlebitis**, 288
- PID** (See Pelvic inflammatory disease)
- Piles (hemorrhoids)**, 16, 175, 423
 - during pregnancy, 248
 - medicine for, 392
- the Pill (for birth control)**, 285–289, 394–395
- Pimples**, 211, 419
 - (Also see Chickenpox)
- Pink eye**, 219–221, 308
- Pinta**, 207
- Pinworm (threadworm, Enterobius)**, 12, 141
- Placenta (afterbirth)**, 262–264, 269, 426
- Placenta previa**, 249, 426
- Plantar warts**, 210
- Plants**
 - medicinal, 12–13
 - that cause itching, 204
- Play acting**, w23
- Pneumonia**, 27, 41, 171, 399, 400, 413
- Poisoning**, 103, 389
 - food, 23, 135, 153, 161
 - of pregnancy, 249, 422
 - urine, 239–240
- Poisonous**
 - bites, 104–106
 - plants, 204
- Poliomyelitis (infantile paralysis)**, 314
 - signs of, 37
 - vaccination, 147, 296, 314
- Population**, w10, 115
- Posters**, w22
- Postpartum**, 426
 - diet, 123
 - hemorrhage, 266, 391
- Postural drainage**, 169
- Power of belief or suggestion**, 2–5, 24, 426
- Pre-eclampsia (toxemia of pregnancy)**, 249
- Pregnancy**, 247–255
 - anemia during, 124, 248–249, 392, 393
 - bleeding during, 249, 264, 281
 - check-ups during, w24, 250–253, 410
 - danger signs in, 249–251
 - difficulty becoming pregnant, 244
 - ectopic, 36, 243, 249, 280, 414
 - German measles during, 247, 312
 - growth and position of baby, 251–252, 257
 - how to prevent, 283–295
 - how to stay healthy during, 247
 - how to tell the baby's birth date, 252
 - medicines during, 6, 54, 247
 - minor problems of, 174, 248, 251
 - nutrition during, 118, 250
 - record of prenatal care, 253
 - signs of, 247
 - supplies to have ready before birth, 254–255
 - (Also see Family planning)
- Pregnancy mask**, 207
- Prenatal care**, 250–253
- Presentation of an arm**, 268, 426
- Pressure sores** (See Bed sores)
- Preventive medicine**, w17, 17, 131–150
 - cleanliness, 131–136
 - how to avoid many sicknesses, 108, 148–150, 242, 326
 - sanitation, 137–139
 - sexually transmitted disease, 239, 401–403
 - vaccinations (immunizations), 147
 - worms and other intestinal parasites, 140–146
- Prolapse of the rectum**, 142, 426
- Prophylactic (condom)**, 239, 285, 290, 396, 401–403
- Prostate gland**, 233, 235–236, 426
- Protective foods**, 110, 426
- Proteins**, 110, 111, 112, 113, 116–118, 121
- Psoriasis**, 216
- Pterygium**, 224, 426
- Pulling out (to prevent pregnancy)**, 285, 294
- Pulse**, 32–33, 41, 410–411, 426, inside back cover
- Pulsing or throbbing of stomach**, 23
- Pupils, examining**, 217
- Purges**, 15–16
 - misuse of, 92, 126
- Pyorrhea**, 231

Q

Questions to ask a sick person, 29, 44

R

- Rabies**, 181
- Rash on the skin**, 216, 236, 400
 diaper rash, 215, 421
 like tiny bruises (typhus), 190
 of allergic reaction, 68, 166, 203–204, 358
 of chickenpox, 311
 of German measles, 312
 of measles, 30, 311
 of syphilis, 238
 of typhoid, 189
 preventing, 133
 with itching, 199–200, 203
- Reactions** (See Allergic reactions)
- Rebound pain**, 35, 95, 426
- Rectum**
 prolapse of, 142, 426
- Reflexes, testing**, 183, 426
- Rehydration Drink**, 152, 311, 382–383, 400, 426
 and vomiting, 161
 as an enema, 15
 for acute abdomen, 95
 for dehydration, 9, 46, 158, 306
 for newborns, 273
 for very sick persons, 40, 53
- Remedies** (See Home remedies)
- Resistance**, 426
 to antibiotics, w19, 57–58, 237, 351
 to infection, 108, 120, 271
- Resources**, w8, w12, 115, 283, 426
- Respiration** (See Breathing)
- Retardation, mental**, 114, 306, 318, 320–321, 426
- Rheumatic fever**, 27, 310
- Rheumatoid arthritis**, 324
- Rhinitis, allergic (hay fever)**, 165, 426
- Rhythm method**, 285, 291–292
- Ribs, broken**, 99
- Rickets**, 125
- Ring of the ears, deafness, and dizziness**,
 107, 327, 359, 363, 379
- Ringworm**, 11, 205–206, 372
- River blindness**, 227–228, 378
- Road to health chart** (See Child Health Chart)
- Rotating crops, w13**, 115, 117, 427
- Roundworm (ascaris)**, 140–141
- Rubber (condom)**, 239, 285, 290, 396, 401–403
- Rubella** (See German measles)
- Rubeola** (See Measles)
- Rupture** (See Hernia)

S

- Salt**
 iodized, 130, 247, 318
 purges, 16
 using little, 120, 125, 176, 249, 325, 326
- Sanitation**, w10, 137–139, 153, 427
- Scabies**, 34, 199–200, 335, 373
- Scales (to weigh babies)**, 297
- Scars**
 on the cornea, 224, 226, 228
 on the eyelids, 220
 preventing burn scars, 97
- Schistosomiasis**, 146, 337, 377
- Scorpion sting**, 11, 106, 337, 388
- Scrofula**, 212
- Scrotum**, 233, 427
 small sores on, 199
 swollen, 317
- Seborrhea**, 215
- Senna leaf**, 16
- Septicemia**, 275, 427
- Serious illnesses**, w28, 42, 179–192
- Seven year itch**, 199–200, 335, 373
- Sexually transmitted diseases (STD)**, 236–239,
 285–286, 290, 399–403, 427, 428
- Sheath (condom)**, 239, 285, 290, 396, 401–403
- Shigella**, 145, 358
- Shingles**, 204, 400
- Shock**, 30, 77, 325, 427
 allergic, 70, 105, 166, 351
 from serious burns, 97
 heartbeat during, 33, 410–411
 in postpartum mother, 265
- Shoulder, dislocated**, 101
- Sickle cell disease**, 30, 321, 393
- Sicknesses**
causes of, 17–20, 107
 common, 151–178
 dangerous, w28, 42, 179–192
 “home,” 21
 “hot” and “cold,” 119
 infectious, 18–19, 135
 non-infectious, 18
 of children, 215, 272–275, 311–314
 of older people, 323–330
 of women, 241
 prevention of, 131–150
 spread of, 131–137, 140, 188–189, 237–239, 399
 telling apart, 20–21, 26–27
- Side pains**, 22
- Signs**, 20, 29, 427
- Sinus trouble (sinusitis)**, 165, 427
- Skin**
 cancer of, 211, 399
 chart of different diseases, 196–198
 diseases, 193–216, 406, 421
 dryness of, 107, 208
 how to examine, 34
 in children, 215, 308
 medicines for, 334–335, 371–374
 painless sores, 191, 237, 279
 TB of, 179, 212
 ulcers, 212–213
- Slipped disc**, 173
- Slowness** (See Defects, Mental problems)
- Smallpox**, 147
- Small sores with pus**, 201, 211
- Smoking**
 during pregnancy, 318, 416
 problems caused by, 119, 129, 149–150, 289,
 325, 326, 400, 416

- Snails**, 146
- Snakebite**, 104–105
antitoxin, 105, 337, 388
home cure for, 3
- Soaks**, 102
- Social conditions**, 283, 401, 415, 417
- Soft drinks**, 155, 161, 229
- Soft spot** (See Fontanel)
- Solda con solda*, 14
- Sores**
bed sores, 41, 214
chronic, 20, 127, 212, 213, 236, 324, 406
large, open, 127, 213–214
mouth, 232
of the feet, 324
on penis or genitals, 199, 205, 232, 237, 238, 242, 400, 402–403
sugar or honey treatment for, 213, 214
that keep growing, 127, 191, 211, 213, 214
without feeling, 191, 237, 279
with pus, 199, 201, 406
(Also see Skin)
- Sore throat**, 163, 309–310
- Spasms**, 183, 427
in spider bite, 106
in tetanus, 182–184
(Also see Fits)
- Spastic**, 38, 319–320
- Sperm**, 233, 244
- Spermicide**, 285, 396
- Sphygmomanometer**, 410
- Spider bite**, 106
- Spleen, large**, 158, 186, 393, 427
- Sponge method**, 294
- Spontaneous abortion** (See Miscarriage)
- Spots before the eyes**, 227
- Sprains**, 102, 427
- Spread of disease**, 131–137, 140, 190, 237–239, 399–403
- Squint**, 223
- Starches**, 110, 203, 408, 427
- Starvation** (See Malnutrition)
- Sterile**, 427
bandages, 87
men and women, 236, 244, 412
- Sterilization**, 427
of equipment, 74, 401
of syringes, 69, 72, 74
to prevent pregnancy, 285, 293
- Steroids**, 51
- Stethoscope**, 410
- Sting**
bee, 70
scorpion, 106
- Stitches (sutures)**, 86, 255, 269, 423
anesthetics for, 380
- Stomach-ache**, 12, 93, 427
(Also see Belly, Cramps)
- Stomach ulcers**, 128–129, 149, 381–382
- Stools**
in acute abdomen (obstruction), 94
in diarrhea (dysentery), 144–145
like rice water, 158
white or pale, 172
with blood, 128, 146, 189
with schistosomiasis, 146, 377
with typhoid, 189–190
with ulcer (black, tarry stools), 128
(Also see Constipation, Feces)
- Story telling**, w23
- Strabismus**, 223
- Strains**, 102
- Strep throat**, 310
- Stretcher**, 100
- Stroke**, 37, 78, 288, 327, 410
(Also see Heat stroke)
- Sty (hordeolum)**, 224, 427
- Suction bulb**, 84, 255, 262, 268
- Sugars**, 110, 111, 382, 427
- Sulfonamides**, 55, 358
- Sunken fontanel** (See Fontanel)
- Sunlight**
and acne, 211
and rickets, 125
and skin problems, 195
- Supplies**
for childbirth, 254–255
for the medicine kit, 334, 336
- Suppressants**, 427
cough, 52, 384
- Surgery**
immediate need for, 91–95, 177, 222, 267
possible need for, 102, 175, 177, 211, 222, 225, 235, 243, 279, 280, 293, 317, 319, 329
- Susto*, 24
- Suture** (See Stitches)
- Sweets**, 115, 119, 122, 229, 408
- Swelling**
breast swelling and lumps, 278–279
caused by medicine, 68, 70–71, 231
home cure for, 12
in old age, 323
of broken arms or legs, 14
of hands and face, 108, 239, 249
of strains and sprains, 102
of the eyes, 144, 221, 313
of the feet, 113, 124, 144, 176, 248–249, 321
of the scrotum or testicles, 312, 317
with infection, 194
(Also see Lymph nodes, Swollen belly, Varicose veins)
- Swollen belly**
different causes of, 20
in children, 107, 112, 114, 321
in giardia infection, 145
in gut obstruction, 94
in malnutrition, 112, 114
in pregnancy, 248, 249
(Also see Gut)
- Symptoms**, 29
- Syphilis**, 10, 237–238, 403
- Syringe**, 72, 74, 336, 399, 401, 405

T

- Taboo**, 23, 428
T.A.L.C., 297, 429
Tapeworm, 143, 376
TB (See Tuberculosis)
Teaching, w2, w4–w5, **w21–w28**, 321
 materials, addresses for, 429–432
Tear sac, infection of, 217, **223**
Teaspoons, for measuring, 61
Teeth, 133, **229–232**
Temperature, 30–31, 272, 409, inside back cover
 (Also see Fever)
Tepeguaje, 14
Testicles, 233
 swellings of testicles, 312, 317
Tetanus (lockjaw), 182–184
 from a wound, 84, 89, 407
 in the newborn, 182–183, 273
 medicine for, 336–337, 389–390
 vaccination, 147, 184, 296
Thalassemia, 393, 428
Thermometer, 31, 334
Threadworm (pinworm, Enterobius), 141
Throat
 lump on the throat, 10, 130, 423
 object stuck in, 79
 sore throat, 163, 309–310
Throwing up (See Vomiting)
Thrush (moniliasis), 232, 242, 400
Ticks, 190, **201**, 428
Tinea, 205–206
Tinea versicolor, 206
Tobacco, 129, 416–417
Tongue, 232
Tonsillitis (inflamed tonsils), 309
Toothache, 231
Toothbrush, homemade, 230
Toothpaste, 230
Toxemia of pregnancy (eclampsia), 249, 422
Trachoma, 220
Traditions, w3, w11, 1, 2, 21
Trichinosis, 144
Trichocephalus (whipworm, Trichuris), 142
Trichomonas, 241
Trichuris (whipworm, Trichocephalus), 142
Tropical sore (See Leishmaniasis)
Tubal ligation, 293
Tuberculosis, 108, **179–180**, 337
 and AIDS, 400
 and children, 136
 and measles, 311
 medicines for, 361–363
 of the lymph nodes, 212
 of the skin, 212
 of the spine, 173
 signs of, 30, 37
 vaccination, 147
Tumors (See Cancer)
Twins, 251, 256, **269**, 289
Twisted joint (sprain), 102

- Typhoid fever, 188–190**
 fever pattern, 26
 medicines for, 357–358
 pulse with, 33
 resistance to medicines, 58
Typhus, 26, **190**

U

- Ulcer**, 428
 on the cornea (eye), 224–225
 skin, 20, 212, 213, 324
 stomach, 13, 36, 53, 128–129, 149, 382
Umbilical cord, 428
 and tetanus, 182
 how to cut, 262–263
 infection of, 270, 272
 wrapped around the baby's neck, 268
Umbilical hernia, 317, 318, 428
Umbilicus (See Navel)
Uncinaria (hookworm), 133, **142**
Unconscious person, 78, 424
 breathing of, 32
 difference in pupil size, 33
 in shock, 77
Under-Fives Program, w20, w24, **297**, 428
Undulant fever (brucellosis), 27, **188**
Units, measuring in, 60
Uremia, 239–240
Ureters, 233
Urethra, 233, 235, 428
Urination, difficulties with, 234–236, 239–240,
324, 403, 410
Urinary tract, 36, **233–234**, 428
Urine
 blood in, 146, 234, 377
 brown, 172
 dark yellow, 151
 less than normal, 151, 236
 too much or often, 127, 234
 pus in, 236
Using this book, inside front cover, w28
Uta (See Leishmaniasis)

V

- Vaccinations**, 19, **147**, 180, 250, 296, 321, 337,
 405
Vagina, **233**, 428
 infections of, 241–242, 370
 placenta blocking, 249
 tearing during birth, 269
Vaginal discharge, **241–242**, 370–371
Vapors, breathing hot water vapors, 47, **168**
Varicose veins, **175**, 213, 288, 410, 428
 and chronic sores, 20, 212, 213, 324
 during pregnancy, 248
Vasectomy, **293**, 428

Veins, inflamed, 288

(Also see Varicose veins)

Venereal diseases (VD) (See Sexually transmitted disease)**Venereal lymphogranuloma, 238, 420****Ventilated improved pit latrine, 139****Verrucae (warts), 210****Village health committee, w24****Village health worker, w1-w7, w29, 43, 340****Village medicine kit, 336-337****Village storekeeper, 338****VIP latrine, 139****Virus, 19, 399-401****Vision** (See Eyes)**Vital signs, 41, inside back cover****Vitamins, 110, 111, 116-118, 392-394, 405**

injections of, 65, 67, 118

the best way to get, 52, 118

vitamin A, 226, 392

vitamin B, 208

vitamin C, 248, 335,

vitamin B₆, 361, 394vitamin B₁₂, 51, 65, 393

vitamin K, 265, 272, 337, 394

(Also see Iron)

Vitiligo, 207**Vomiting, 161**

during pregnancy, 248, 249

enemas and laxatives with, 15

how to cause vomiting, 103, 389

in the newborn, 273

medicines for, 161, 335, 386-387

violent vomiting, 151

with blood (cirrhosis), 328

with blood (ulcer), 128

with diarrhea, 151, 157

with urine poisoning (uremia), 239

W**Wandering eyes, 223****Warm compresses, 193-195****Warts, 210, 212, 400, 402****Water, healing with, 45-48**

and cleanliness, 46, 131, 135, 137-139, 144, 146

and spread of disease, 146, 188

for fever, 75

to ease pain of burns, 96

vapors, 47, 168, 384

Weakness, fatigue, 23, 124, 323, 400**Weight**

and diet, 110-111, 127

deciding dosage by, 340

homemade scales, 250

importance of losing, 125-127, 325-326

in pounds and kilos, 62

measuring medicines, 59-61

weight gain, in children, 297-304

weight gain in pregnancy, 247, 250

Weight loss

chronic, 179, 180, 400

different causes, 20

how to lose weight, 126

in the newborn, 273

sudden (dehydration), 151

(Also see Malnutrition)

Welts (hives), 68, 203, 238**Wet malnutrition (kwashiorkor), 113****Whipworm (Trichuris, Trichocephalus), 142****White spots and patches on the skin, 206-207, 232****Whooping cough (pertussis), 168, 313**

medicines for, 336

vaccination, 147, 296

Witchcraft, 5, 24**Withdrawal**

from drug addiction, 417

to prevent pregnancy, 285, 294

Womb, 428

cancer of, 280

contractions of, 258, 266

massaging, 264-265

position of the baby in, 251, 257

Women's health care, 241**Working together, w5, w24****World Health Organization, 49, 432****Worms, 140-146, 227-228, 406-407**

causing obstructed gut, 94

in children, 308

medicines for, 335, 374-376

prevention of, 47, 131-134

Wounds

abdomen, 92

bullet, 90-93

chest, 91

controlling bleeding of, 82

deep, 89-92

from a broken bone, 99

how to close them, 85-86

infected, 88-89, 213, 401

knife and bullet, 89-93

medicines for, 93, 334

small, 84

that may cause tetanus, 89, 182

to the eye, 217-218

X**Xerophthalmia, 113, 226, 306, 337, 392, 428****Xerosis** (See Xerophthalmia)**X-ray, 102****Y****Yeast infection, 58, 232, 242, 370-371, 373****Yesca, 11****Yogurt, 57, 232, 242**